

Trade name : Revision date : Print date : Corrosion Protection 100 03.01.2025 03.01.2025

| /ersion (Revision) | : | 6.0.3 (6.0.2) |
|--------------------|---|---------------|
|                    |   |               |

## **SECTION 1: Identification of the substance/mixture and of the company/ undertaking** 1.1 Product identifier Corrosion Protection 100 Unique Formula Identifier: 7U80-90V3-W008-Y94D 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** PC 0.30 - Corrosion inhibitor Sectors of use [SU] Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Industrial uses 1.3 Details of the supplier of the safety data sheet Supplier Bio-Circle Surface Technology AG Street : Aahusweg 16 Postal code/City: 6403 Küssnacht am Rigi Telephone: 0041 41 878 1166 Telefax : 0041 41 878 1347 Information contact : accounting@bio-circle.ch 1.4 Emergency telephone number +41 (0)442515151 Schweizerisches Toxikologisches Informationszentrum, 145 **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements None 2.3 Other hazards None

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Hazardous ingredients

### None

### Further ingredients

2,2`,2``-NITRILOTRIETHANOL ; REACH No. : 01-2119486482-31-XXXX ; EC No. : 203-049-8; CAS No. : 102-71-6 Weight fraction :  $\geq$  65 - < 70 %

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice.



| Trade name :    |  |
|-----------------|--|
| Revision date : |  |
| Print date :    |  |

Corrosion Protection 100 03.01.2025 03.01.2025

Version (Revision) :

### Following inhalation

If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

### In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

### After eye contact

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### **Following ingestion**

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

- None
- 4.3 Indication of any immediate medical attention and special treatment needed None

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO2) Sand Nitrogen Extinguishing blanket

### Unsuitable extinguishing media

Full water jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide , Carbon dioxide (CO2) Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

6.1 **Personal precautions, protective equipment and emergency procedures** Special danger of slipping by leaking/spilling product. Use personal protection equipment.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**



|            |   |  |  | MAKING  | G GREEN WORK.   |
|------------|---|--|--|---|-----------------|
| Revis      | e name :<br>sion date :<br>date :   | Corrosion Pro<br>03.01.2025<br>03.01.2025  | tection 100  | Version (Revision) :  | 6.0.3 (6.0.2)   |
| 7.1<br>7.2 |   | t eat, drink, smoke  |  | with skin, eyes and clothes. Keep container   | tightly closed. |
| 7.3        |   | eat. Keep/Store on   |  | er. Protect against : Frost .   |                 |
| _          | •   | • •  | ve instructions for use  | е.  |                 |
| SEC        | TION 8: Expos   | ure controls/  | personal prote   | ction   |                 |
| 8.1        | Control parame  | eters  |  |   |                 |
|            | Limit value type<br>Parameter :<br>Limit value :<br>Remark :<br>Version : | exposure limi<br>RIETHANOL ; CAS<br>(country of origin) :<br>(country of origin) : | No. : 102-71-6<br>KZGW ( CH )<br>E: inhalable fraction<br>5 mg/m <sup>3</sup><br>SSc |   |                 |
| 8.2        | Exposure cont   | rols   |  |   |                 |
|            | Personal prot   |  | ent  |   |                 |
|            | Eye/face pro  | tection  |  |   |                 |
|            | <b>W</b> e  | ear suitable safety (  | goggles in case of sp  | lash.   |                 |
|            | Suitable eye pr<br>EN 166.  | otection   |  |   |                 |
|            | Skin protecti   | on   |  |   |                 |
|            | Hand protectio  |  |  |   |                 |
|            | Suitable glow   | os tumo - EN 274   |  |   |                 |
|            | -   | es type : EN 374.<br>erial : NBR (Nitrile i  | rubber)  |   |                 |
|            | Breakthrough  | time : 480 min.  |  |   |                 |
|            | <b>Remark</b> : The<br>working place<br>check the resis<br>gloves.        | concentration and stance to chemical   | ective gloves resistant quantity of hazardous  | t to chemicals must be chosen as a function<br>s substances. For special purposes, it is reco<br>wes mentioned above together with the supp | ommended to     |
|            | General inform  |  |  |   |                 |
|            | sniff. Avoid conta  |  | and clothes. P362+P3   | our trouser pockets. When using do not eat,<br>364 - Take off contaminated clothing and wa  |                 |
| 8.3        | Additional info<br>No tests have bee                                      |  | ction made for prepar  | ations according to the best available knowle   | edge and        |

Page : 3 / 8



| Trade name :    | Corrosion Protection 100 |                      |               |
|-----------------|--------------------------|----------------------|---------------|
| Revision date : | 03.01.2025               | Version (Revision) : | 6.0.3 (6.0.2) |
| Print date :    | 03.01.2025               |                      |               |
|                 |                          |                      |               |
|                 |                          |                      |               |

information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

### Appearance

Physical state : Liquid

Colour : yellow - brown

Odour

sweetish

### Safety characteristics

| Solidifying point :                     | ( 1013 hPa )        | approx. | -25                 | °C                |                     |
|---|---------------------|---------|---------------------|-------------------|---------------------|
| Initial boiling point and boiling range | · /                 |         | No data available   | -                 |                     |
| Flash point :                           |                     |         | not applicable      |                   | DIN EN ISO 13736    |
| Auto-ignition temperature :             |                     |         | none                |                   |                     |
| Flammability :                          |                     |         | non-flammable       |                   |                     |
| Lower explosion limit :                 |                     |         | not applicable      |                   |                     |
| Upper explosion limit :                 |                     |         | not applicable      |                   |                     |
| Vapur pressure :                        | ( 20 °C )           | <       | 24                  | hPa               | Calculated          |
| Density :                               | ( 20 °C )           | approx. | 1,147               | g/cm <sup>3</sup> |                     |
| Water solubility :                      | ( 20 °C )           |         | completely miscible |                   |                     |
| pH :                                    | ( 20 °C / 5 Vol-% ) | approx. | 8,6                 |                   | in aqueous solution |
| Cinematic viscosity :                   | ( 20 °C )           | approx. | 329                 | mm²/s             |                     |
| Relative vapour density :               | ( 20 °C )           |         | not determined      |                   |                     |
| Maximum VOC content (EC) :              |                     |         | 0                   | Weight-%          |                     |
| Maximum VOC content (Switzerland)       |                     |         | 0                   | Weight-%          |                     |
| Taxable VOC content (Switzerland) :     |                     |         | 0                   | Weight-%          |                     |
|   |                     |         |                     | -                 |                     |

### 9.2 Other information

No further relevant information available.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

Keep away from: Strong acid , Strong alkali , Oxidizing agent

# 10.4 Conditions to avoid

May form hazardous decomposition products when exposed to high temperatures.

## <sup>10.5</sup> Incompatible materials

No further relevant information available.

### **10.6 Hazardous decomposition products** Endothermal decomposition with formation of: Carbon monoxide , Carbon dioxide (CO2) , Nitrogen oxides (NOx) Decomposition products in case of fire: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Page : 4 / 8



| Revis | e name :<br>sion date :<br>date : | Corrosion Protection 100<br>03.01.2025<br>03.01.2025                    | Version (Revision) :                          | 6.0.3 (6.0.2)      |
|-------|-----------------------------------|---|---|--------------------|
|       |                                   |   |   |                    |
|       | Corrosion                         |   |   |                    |
|       | Skin corrosio                     |   |   |                    |
|       |                                   | evant information available.  |   |                    |
|       |                                   | amage/eye irritation  |   |                    |
|       |                                   | evant information available.  |   |                    |
|       | • •                               | or skin sensitisation   |   |                    |
|       | Skin sensitisa                    |   |   |                    |
|       |                                   | evant information available.  |   |                    |
|       |                                   | to the respiratory tract<br>evant information available.                |   |                    |
|       |                                   |   | nd toxicity for reproduction)                 |                    |
|       |                                   | carcinogenicity, mutagenicity a<br>intervention                         | na toxicity for reproduction)                 |                    |
|       | Carcinogenic                      | evant information available.  |   |                    |
|       | Germ cell mu                      |   |   |                    |
|       |                                   | evant information available.  |   |                    |
|       | Reproductive                      |   |   |                    |
|       | •                                 | evant information available.  |   |                    |
|       | STOT-single                       | exposure  |   |                    |
|       | -                                 | vant information available.   |   |                    |
|       |                                   | ted exposure  |   |                    |
|       | -                                 | vant information available.   |   |                    |
|       | Aspiration h                      |   |   |                    |
|       | -                                 | vant information available.   |   |                    |
| 11 2  |                                   | on other hazards  |   |                    |
|       |                                   |   |   |                    |
|       |                                   | lisrupting properties<br>pes not contain a substance that has endocr    | ing disrupting proportion with respect to be  | imane ae no        |
|       | •                                 | eets the criteria.  | ine disrupting properties with respect to hit |                    |
|       | •                                 | ics, metabolism and distribution  |   |                    |
|       |                                   | ata available on the preparation/mixture itse                           | lf.   |                    |
|       | Other adver                       |   |   |                    |
|       | Frequently or r                   | prolonged contact with skin may cause derma                             | al irritation.                                |                    |
|       | Additional i                      |   |   |                    |
|       |                                   | t tested. The statement is derived from the p                           | properties of the single components.          |                    |
|       |                                   |   |   |                    |
| SEC   | TION 12: Eco                      | logical information   |   |                    |
| 12.1  | Toxicity                          |   |   |                    |
|       | No information a                  | available.  |   |                    |
| 12.2  | Persistence a                     | and degradability   |   |                    |
|       | No information a                  |   |   |                    |
| 12.3  | Bioaccumula                       |   |   |                    |
|       |                                   | bioaccumulation potential.  |   |                    |
| 12.4  | Mobility in so                    |   |   |                    |
|       | No information a                  |   |   |                    |
| 12 5  |                                   | BT and vPvB assessment  |   |                    |
| 12.5  |                                   | in the mixture do not meet the PBT/vPvB cr                              | iteria according to REACH appendix            |                    |
| 12.6  |                                   | srupting properties   |   |                    |
| 12.0  |                                   |   | a disrupting properties with respect to per   | -target organism   |
|       |                                   | es not contain a substance that has endocrir<br>nts meets the criteria. | ie distupting properties with respect to hor  | r-target organisms |



Trade name : Revision date : Print date : Corrosion Protection 100 03.01.2025 03.01.2025

Version (Revision): 6.0.3

### 6.0.3 (6.0.2)

### 12.7 Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Ordinance on the avoidance and disposal of waste (ADWO) SR 814.600.

### Before intended use

### Waste code according to the lists for the movement of waste

12 01 99 (Wastes not otherwise specified)

20 01 30 (Detergents other than those mentioned in 20 01 29)

### Other disposal recommendations

Dispose of waste according to applicable legislation. Dispose of contents/ container to an approved waste disposal plant. Contaminated packages must be completely emptied and can be re-used following proper cleaning (Water (with cleaning agent)). Handle contaminated packages in the same way as the substance itself.

### 13.2 Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the VVEA, specific to the industry and process.

### **SECTION 14: Transport information**

### 14.1 UN number

No dangerous good in sense of these transport regulations.

#### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.

### 14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

### None

## 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or

' mixture

EU legislation Other regulations (EU) Labelling for contents according to regulation (EC) No. 648/2004 None National regulations Other regulations, restrictions and prohibition regulations Switzerland Chemicals Ordinance, ChemO (SR 813.11) Chemical Risk Reduction Ordinance, ORRChem (SR 814.81)

### 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.



Trade name : Revision date : Print date :

**Corrosion Protection 100** 03.01.2025 03.01.2025

Version (Revision) :

## **SECTION 16: Other information**

### 16.1 Indication of changes

01. Unique Formula Identifier

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße) AOX: adsorbierbare organisch gebundene Halogene AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)

CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)

EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung ECHA: Europäische Chemikalienagentur (European Chemicals Agency)

EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)

GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classifiaction and Labelling of Chemicals)

IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)

ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)

IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)

RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)

TRGS: Technische Regel für den Umgang mit Gefahrstoffen

VbF: Verordnung über brennbare Flüssigkeiten

VOC: flüchtige organische Verbindung (volatile organic compound)

VVEA: Verordnung über die Vermeidung und die Entsorgung von Abfällen

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### 16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank ECHA: Classification And Labelling Inventory ECHA: Pre-registered Substances ECHA: Registered Substances EC\_Safety Data Sheet of Suppliers ESIS: European Chemical Substances Information System GDL: Gefahrstoffdatenbank der Länder UBA Rigoletto: Wassergefährdende Stoffe Regulation (EC) No. 1907/2006 of the European Parliament and of the Council |-> COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 Regulation (EC) No. 1272/2008 of the European Parliament and of the Council Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. 16.5 Relevant H- and EUH-phrases (Number and full text)

### 16.6 Training advice

None

16.7 Additional information

None

16.4

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Trade name : Revision date : Print date : Corrosion Protection 100 03.01.2025 03.01.2025

Version (Revision) :

6.0.3 (6.0.2)